

# PRODUCT CATALOGUE



# NATURALLY FIRST!



**CREATIVITY-CREDIBILITY-TRUST-QUALITY  
SOCIAL RESPONSIBILITY-CONSISTENCY**

## Who we are:

A Greek paint and varnish manufacturing company aiming at the production and distribution of high quality products since 1948 with vision

**"An environment with value for human life on our planet".**

## What are we doing:

We penetrate in the paint and varnishes market by offering paints and other building materials under the strictest specifications of raw materials, production, quality audits, and distribution. We offer our products in both domestic and international market.

## Who are we protecting with our products:

❑ Human life      ❑ Our environment      ❑ Our home      ❑ Our planet

## How:


- ❑ With pioneering, innovative, and certified products:
  - Ecological    • Hypoallergenic    • Antifungal    • Antimicrobial, etc.
- ❑ By supporting our partners in every step by offering:  
Advices, Technical Support, Free Advertising Material
- ❑ With a well-organized sales and distribution network.
- ❑ By investing in new technologies, in human resources, and infrastructure building and mechanical equipment.
- ❑ With social responsibility actions regarding sports, culture, and society.
- ❑ Creating a sustainable working environment.
- ❑ Adapting Vechro in the new era by upgrading the image of the company along with the company operation for the next generations.

## Why we do this:

Because we value, we respect and we like to take care of the human life on our planet. To offer the best possible!

**THANK YOU!**

# VECHRO AT A GLANCE



**No 1** company in total sales and certifications of ecological products in Greece from 2003 until now  
(110 products in total)



**3rd** among other market leaders in Europe in ecological products certifications



Greek Industry



**3rd** biggest industry in Greece in the field of paints and varnishes




more than **74** years of history  
(year of establishment: 1948)



Premium Quality in the best prices!



110 Ecolabel products  
57 PRA products  
20 Allergy UK products  
46 Nanotechnology products  
1 Bast  
16 EN 71-3 products



Certifications:  
ISO 9001  
ISO 14001  
ISO 45001  
EMAS




Exports: Cyprus, Bulgaria, Albania, Poland, Armenia, Georgia, Romania, China



Our vision is an environment which values human life on the planet



Trustful and long-lasting cooperations



[www.vechro.gr](http://www.vechro.gr)

## Symbols explanation



### Use

For the professional



### Use

Home use



### Covering Power

Per layer



### Drying

It concerns surface drying time under normal conditions. The recoat and the drying time at depth is higher (See the product label and TDS)



### COATS

Required layers for product's application.



### Dilution

With water



### Dilution

With White Spirit



### Dilution

Vechro Thinner No1 or No3



### Application

with rollers, paintbrush\*



### Application

Spray-Gun



### Application

Wall Brush



### Application

Simple spatula



### Application

Serrated spatula



### Application

Sponge



### Application

Cloth




### Available packaging

\*The water-soluble products are dilute with water at a rate greater than in the case of a brush or roller. In case the solvent products, which are diluted with Smaltolux White Spirit for application by brush or roller, when applied with spray gun, they are diluted with Vechro Thinner No1 and the dilution rate is higher (See the product label & TDS)

Most of **VECHRO** products have been certified and evaluated for their features and characteristics under the strictest technical specifications from independently recognized laboratories in Europe.



**110 PRODUCTS**  
**Ecolabel Certification**  
from the European Union  
(EL/044/007)



### 5 PRODUCTS

The measurement of emissions of volatile organic compounds (VOC) to ensure **indoor air quality**, in accordance with French legislation



**20 PRODUCTS**  
Certification by the British Foundation **Hypoallergenic**



**46 PRODUCTS**  
Products of applied nanotechnology in paints and varnishes could offer **better performance in hardness and elasticity, easy cleaning properties, water repellency, antimicrobial action, hygienic surfaces etc.**



### 16 PRODUCTS

Evaluation according to EN 71-3 for **non heavy metal migration** in toys and kids' furniture



### 1 PRODUCT

CE marking evaluation **in durability** according to EN 15197 and EN 1436 by the BAST German certification association



### 57 PRODUCTS

Evaluated at the British Paint Research (Antifungal-Antimicrobial properties, weather resistance, washability etc)



### 45 PRODUCTS

Evaluation at accredited laboratories



### 11 PRODUCTS

**Energy efficiency evaluation**



Endless coloring options via Vechro's Tinting System



Washing Resistance



Antifungal



Long Lasting



Antimicrobial



Filters UV



Certified as Cool - Reflective Paint



Solar Interface System (SRI) (ASTM E 1980-01)



Polyurethane technology



# CONTENTS

Acrylic & Energy  
Saving paints



12

Elastomeric roof  
coatings



18

Water-based  
undercoats & enamel



24

Emulsion  
paints



8

Special export  
products



16

Wall undercoat  
paints and primers




20

Undercoat primers &  
Enamel paints




28

**Water-based wood protection**




**34**

**Wooden floor**



**36**

**Solvent based varnishes**



**38**

**Porous surface protection**



**42**

**Floor coatings**



**42**

**Building and Repairing materials**



**44**

**Special application paints**



**48**

**Contact & social media**



**52**

# Emulsion paints



## Smaltoplaster Silk

### High Quality Ecological Velvet Matte Emulsion Paint

- Hypoallergenic (British Allergy UK) & Odourless.
- Antimicrobial.
- A+ Indoor Air Quality.
- Permanent action against mold.



	Professional use		DRYING 1/2-1h
	Home use		DILUTION 8-15% with water
	COVERING POWER 12-14m²/l		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 1lt, 3lt,10lt		

## Smaltoplaster Extra

### Ecological Matte Emulsion Paint

- Excellent spreading rate and washability / scrub resistance (Class 1-EN 13300).
- Excellent covering power.
- Super opacity.
- A+ indoor air quality.



	Professional use		DRYING 1/2-1h
	Home use		DILUTION 8-15% with water
	COVERING POWER 11-13m²/l		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 375ml, 750ml, 3lt, 10lt		

## Smaltoplaster Extra Basic Colors

### Matte Emulsion

- Alkali resistance.
- Excellent coverage.
- Super opacity.



	Professional use		DRYING 1/2-1h
	Home use		DILUTION 8-15% with water
	COVERING POWER 11-13m²/l		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 180ml, 375ml, 750ml		

## Smaltoplaster Kitchen & Bath

### Ecological Antifungal Matte Emulsion Paint

- Antimicrobial (IMSL), Antifungal.
- Excellent washability/ scrub resistance (Class 1-EN 13300).
- High coverage.
- Super opacity.



	Professional use		DRYING 1/2-1h
	Home use		DILUTION 8-15% with water
	COVERING POWER 11-13m²/l		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 750ml, 3lt, 10lt		

## Emulsion paints

## PRO Vinyl Eco

## Ecological Matte Emulsion Paint

- High coverage.
- Very good leveling.
- Excellent resistance to washing (EN 13300, Class 1: White & Base P, Class 2: Base D & TR).



	Professional use		DRYING 1/2-1h
	Home use		DILUTION 5-15% with water
	COVERING POWER 11-13m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 1l, 3lt, 10lt		

## Chief Emulsion

## Ecological Matte Emulsion Paint

- Great coverage and excellent whiteness.
- New improved composition with resistance to washing (Class 2-EN 13300).



	Professional use		DRYING 1-2h
	Home use		DILUTION 8-15% with water
	COVERING POWER 11-13m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 750ml, 3lt, 9lt, 15lt		

## Vinyflex Emulsion

## Matte Emulsion Paint

- Ideal for frequent refreshing.
- Great coverage and whiteness.



	Professional use		DRYING 1-2h
	Home use		DILUTION 5-10% with water
	COVERING POWER 10-12m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 3lt, 9lt, 15lt		

## Vinyflex Hydropaint Emulsion

## Hydropaint

- Suitable for roofs, ceiling, stairwells, warehouses & any surfaces which does not require frequent washing.
- The surface is able to "breathe" as it keeps the pores of the roof open.
- Great whiteness.



	Professional use		DRYING 1/2-1h
	Home use		DILUTION 10-20% with water
	COVERING POWER 10-12m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 3lt, 9lt, 15lt		

# Smaltoplast Kitchen & Bath

## Antifungal & Antimicrobial Properties



**Ecological Antifungal & Antimicrobial Emulsion Paint**  
**For Areas with High Moisture**

- Antimicrobial (ISO 22196:2011), IMSL
- Antifungal
- Excellent washability / scrub resistance (Class 1, EN 13300)
- Excellent spreading rate and high coverage



Acrylic & Energy Saving paints



## Smaltoplaster Acrylic

### Ecological 100% Acrylic Paint

- High resistance to adverse conditions.
- Unmodified shades.
- Long-lasting protection.
- Alkali & water resistance.
- Very good levelling and covering power.



	Professional use		DRYING 1/2-1h
	Home use		DILUTION 8-15% with water
	COVERING POWER 11-13m²/l		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 750ml, 1lt, 3lt, 10lt		

## Smaltoplaster Silicone

### Ecological Silicone 100% Acrylic Paint

- Antifungal properties.
- Excellent breathability & water resistance.
- Long-lasting protection.
- Unmodified shades.
- Great coverage and leveling.



	Professional use		DRYING 1h
	Home use		DILUTION 8-15% with water
	COVERING POWER 11-13m²/l		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 3lt,10lt		

## Smaltoplaster Elastic

### Ecological Elastomeric 100% Acrylic Paint

- Elastomeric water repellent. Classified as a "low liquid permeability" according to EN 1062-1.
- Covers hairline cracks.
- High resistance to adverse weather conditions (-20°C).
- Excellent resistance against fungi and algae, according to EN15457.
- Unmodified shades.



	Professional use		DRYING 2-4h
	Home use		DILUTION 8-10% with water
	COVERING POWER 11-13m²/l		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 3lt,10lt		

## Smaltoplaster Cement Paint

### Cement Paint 100% Acrylic Paint

- Alkali resistance.
- Weather resistance.
- Strong adhesion.
- Available at Terracotta (PCM 2131) & Grey 504 (PCM 1854) & White.



	Professional use		DRYING 1/2-1h
	Home use		DILUTION 8-15% with water
	COVERING POWER 11-13m²/l		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 750ml, 3lt, 10lt		

## Energy saving paints

**Smalltoplast Thermo**

## Thermoprotective Elastic Acrylic Paint

- Energy Saving.
- Elastomeric - Gap bridging class A1 (23°C).
- High water resistance and breath-ability. Classified as a "low liquid permeability" according to EN 1062-3(23°C).
- Excellent resistance against fungi according to EN15457.



	Professional use		DRYING 2-4h
	Home use		DILUTION 0-10% with water
	COVERING POWER 10-14m²/lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 3lt,10lt		

**Chief Acrylic**

## Acrylic Paint for Exterior Use

- Easy to apply with very good leveling and very good weather and alkali resistance.
- Ideal for professionals.
- Available at ready shades Grey 504 (PCM 1854) & Terracotta (PCM 2131).



	Professional use		DRYING 1-2h
	Home use		DILUTION 5-15% with water
	COVERING POWER 9-11m²/lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 750ml, 1lt, 3lt, 9lt, 15lt		

**Vinyflex Acrylic Cement Paint**

## Acrylic Cement Paint

- Ideal for frequent recoating.
- Great coverage and whiteness.



	Professional use		DRYING 1-2h
	Home use		DILUTION 5-10% with water
	COVERING POWER 9-11m²/lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 3lt, 9lt, 15lt		

**PRO Relief**

## Acrylic Texture Decorative Paint

- Excellent adhesion.
- Weather resistance.
- Recoatable with emulsion or acrylic paint.



	Professional use		DRYING 1/2-1h
	Home use		DILUTION Ready for use
	COVERING POWER 1-1,5m²/Kg		APPLICATION Thick brush, spongy roller for special texture
	COATS 2		
	PACKAGING 5Kg,15Kg		

# Smaltoplast Acrylic

## Excellent long-lasting bright colors!



### Ecological 100% Acrylic Paint

- Resistance to adverse weather conditions
- Long-lasting protection
- Unmodified shades
- Alkali resistance
- Very good levelling and covering power



Special export products



## Smalto Professional

- Flat interior emulsion paint suitable for walls, plasters, concrete, and gypsum board.
- Good hiding and covering power. Very good cost effective solution for the professionals, combining good hiding and wash ability.
- Low odor.



	Professional use		DRYING 1-2h
	Home use		DILUTION 10-20% with water
	COVERING POWER 8-10m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 3lt, 9lt, 15lt		

## Orion

- Flat interior emulsion paint suitable for walls, plasters, concrete, and gypsum board. Combines good hiding and coverage, with very good whiteness.
- Very good cost effective solution for professionals.



	Professional use		DRYING 1-2h
	Home use		DILUTION 5-15% with water
	COVERING POWER 9-11m <sup>2</sup> /kg		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 10lt		

## Smalto Universal

- Flat acrylic paint suitable for interior and exterior surfaces.
- Very good resistance in weather conditions, adhesion and breathability.
- It keeps vigorous coloring even in bad weather conditions and UV resistance.



	Professional use		DRYING 1-2h
	Home use		DILUTION 10-20% with water
	COVERING POWER 8,5-10,5m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 3lt, 9lt, 15lt		

## Smalto Primer

- Water based acrylic primer with very good adhesive and penetrating properties.
- Suitable for internal and external use. Recoatable with any emulsion paint.
- Increases the covering power of the final paint because it reduces the absorbency of the surface.



	Professional use		DRYING 1-2h
	Home use		DILUTION 100-400% with water
	COVERING POWER 10-20m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 1		APPLICATION Airless Gun
	PACKAGING 1lt, 15lt		

# Elastomeric roof coatings



## Isolor PU HYBRID Aqua Plus +

### High Solids Elastomeric Waterproofing Coating for Roofs

- Top quality water soluble hybrid elastomeric sealant based on acrylic and polyurethane resins.
- It fully covers capillaries and cracks up to 1.5mm.
- Certified by the CE marking as a concrete surface protection product, in accordance with EN-1504-2.
- Certified as Cold Reflective Material (CRES, DEMOCRITUS).



Available at White & Terracotta (NCS/S4030 Y70R)



	Professional use		DRYING 1-3h
	Home use		DILUTION 5% with water 10% on old bituminous
	COVERING POWER 0.7-2m <sup>2</sup> /kg		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 750ml, 3lt, 10lt		APPLICATION Thick Brush

## Isolor PU HYBRID Primer

### Water Based Hybrid Primer for Water Proofing Coatings

- Excellent adhesion and penetration.
- Recommended for priming new cement substrates and existing waterproofing coatings.
- Can be applied above bituminous materials, mosaic, aluminum foils etc.
- Quick drying.



	Professional use		DRYING 1/2-1h
	Home use		DILUTION Ready for use
	COVERING POWER 4-8m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 1		APPLICATION Airless Gun
	PACKAGING 1lt, 5lt		

## Isolor Duraflex

### Elastomeric Polyurethane Waterproofing Coating

- High quality waterproofing elastomeric coating one component for long-lasting protection.
- Membrane keeps its elasticity from -20°C until 90°C.
- Certified as cool - reflective paint.



\*More info for Isolor Duraflex Thinner at pg. 48



	Professional use		DRYING 6-8h
	Home use		DILUTION 10% Isolor Duraflex Thinner
	COVERING POWER 1.5-2m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 750ml, 4lt, 18lt		APPLICATION Thick Brush

## Isolor Roof

### Elastomeric Acrylic Waterproofing Coating

- Acrylic elastomeric insulation material with very good sealing properties.
- It follows the contractions-dilation of the surface, without popping or peeling.
- Effectively insulates and protects against adverse weather conditions.



	Professional use		DRYING 2-3h
	Home use		DILUTION 5-10% with water
	COVERING POWER 1-3m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 3lt, 9lt		


# Wall undercoat paints and primers



## Smaltoplast Universal Primer

### Silicone Micro Acrylic water based primer

- Excellent adhesion and alkali resistance.
- A+ indoor air quality.
- Excellent penetration.
- For interior & exterior use.
- Waterproofing and high breath-ability.



	Professional use		DRYING 1-2h
	Home use		DILUTION 50-100% with water
	COVERING POWER 15-20m²/lt		APPLICATION Brush Roller
	COATS 1		APPLICATION Airless Gun
	PACKAGING 1lt, 3lt, 15lt		

## PRO Acrylic Primer

### Water based acrylic primer

- Strong adhesion and high penetration.
- High resistance to alkali.
- Recoatable with any emulsion or acrylic paint.
- For interior & exterior use.



	Professional use		DRYING 1-1 1/2h
	Home use		DILUTION 50-300% with water
	COVERING POWER 16-20m²/lt		APPLICATION Brush Roller
	COATS 1		
	PACKAGING 750ml, 3lt, 10lt, 16.5lt		

## PRO Gypsum Board Primer

### White Acrylic Water Soluble Plasterboard for Indoor use

- Excellent filling properties, smooth imperfections between joint filling material and gypsum board.
- For interior use.
- Recoatable with any emulsion paint.



	Professional use		DRYING 1/2-1h
	Home use		DILUTION 5-10% with water for brush or roller & 15-20% with water for airless gun
	COVERING POWER 8-14m²/lt		APPLICATION Brush Roller
	COATS 1		APPLICATION Airless Gun
	PACKAGING 3lt, 9lt		

## PRO Smaltodur Primer

### Waterproof Acrylic Primer for walls & roofs

- Suitable for external use on new surfaces old-painted walls.
- Excellent waterproofing properties, penetration and adhesion.
- Intensifies the surface.



	Professional use		DRYING 1-1 1/2h
	Home use		DILUTION 50-100% with Smaltolux White Spirit
	COVERING POWER 10-15m²/lt		APPLICATION Brush Roller
	COATS 1		APPLICATION Airless Gun
	PACKAGING 1lt, 5lt, 15lt		

## Smaltox Hydro

### Ecological Stain Blocking White Primer

- Blocks stains from nicotine, smoke, urban pollution, markers, mold, old dampness etc.
- Suitable for priming lime, gypsum, gypsum board, concrete, renders.
- Quick drying & recoatability.



	Professional use		DRYING 1/2-1h
	Home use		DILUTION 5-15% with water
	COVERING POWER 11-13m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 1		APPLICATION Airless Gun
	PACKAGING 750ml, 3lt, 10lt		

## Smaltox Water Stop

### Waterproofing water based primer

- Damp sealer.
- Quick drying and recoatable with indoor emulsion paints and outdoor acrylics.



	Professional use		DRYING 1/2-1h
	Home use		DILUTION 8-15% with water
	COVERING POWER 11-13m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 750ml, 2.5lt		

## Smaltox Mono

### Special Stain Blocking Primer

- Excellent blocking properties against nicotine, smoke, urban pollution, markers, graffiti, mould, old dampness.
- Excellent adhesion and very good consolidation of old surfaces.



	Professional use		DRYING 1-2h
	Home use		DILUTION 20% with Smaltolux White Spirit
	COVERING POWER 8-10m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 1		APPLICATION Airless Gun
	PACKAGING 750ml, 2.5lt		

## Smaltoplast Fix Dur

### Acrylic Emulsion for Plasters and Cement enforcement

- Performs better adhesion and elasticity.
- Increases the mechanical properties.
- Performs as a primer-bridge between old and new concrete.



	Professional use		DRYING 3-4h
	Home use		DILUTION 50-100% as primer
	COATS 1		APPLICATION Brush Roller
	PACKAGING 1Kg, 5Kg		



# PRO

YOUR PROFESSIONAL CHOICE!  
For interior and exterior use.

Water-based  
undercoats & enamels



## Smaltolux Hydro Tile Reno Paint

Water-based Polyurethane (PU)  
Acrylic Product for Difficult  
Surfaces

- Excellent adhesion without the use of primer.
- Very good mechanical strength.
- Resistant to household cleaners, impacts, and scratches.

**PU**



	Professional use		ΣΤΕΓΝΩΜΑ 1/2-1h
	Home use		DILUTION 8-10% with water
	COVERING POWER 12-14m <sup>2</sup> /lt		APPLICATION Brush
	COATS 2		ROLLER APPLICATION
	PACKAGING 750ml		AIRLESS GUN APPLICATION

## Smaltolux Hydro Eco Gloss, Satin, Velvet-Mat

Ecological Hypoallergenic  
Polyurethane Acrylic Water  
Based Enamel

- A protection shield from asthma & allergies.
- Antimicrobial- Protects the film from growth of microorganisms (bacteria & fungi)
- Easy to clean.
- Odourless.



	Professional use		DRYING 2-3h
	Home use		DILUTION 10% with water
	COVERING POWER 11-13m <sup>2</sup> /lt		APPLICATION Brush
	COATS 2		ROLLER APPLICATION
	PACKAGING 750ml, 2.5lt		AIRLESS GUN APPLICATION

## Smaltolux Hydro Master Primer

Ecological Acrylic Water  
Based Primer

- Multipurpose.
- Excellent adhesion on wide range of substrates such as wood, MDF, chipboard, aluminum, galvanized steel, hard PVC, ceramic tiles, glass.



	Professional use		DRYING 1-2h
	Home use		DILUTION 8-15% with water
	COVERING POWER 10-12m <sup>2</sup> /lt		APPLICATION Brush
	COATS 1		ROLLER APPLICATION
	PACKAGING 750ml, 2.5lt		AIRLESS GUN APPLICATION

## Smaltolux Hydro Blackboard Paint

Water based chalkboard paint

- Excellent resistance to chalk scratching.
- Effective cleaned.
- Easily erased.
- Low odour.



	Professional use		DRYING 2-3h
	Home use		DILUTION 10% with water
	COVERING POWER 11-13m <sup>2</sup> /lt		APPLICATION Brush
	COATS 2		ROLLER APPLICATION
	PACKAGING 375ml, 750ml		AIRLESS GUN APPLICATION

## Smaltolux Hydro Radiator

Semi-gloss Water Based  
Enamel for Radiators

- Resistance to high temperatures.
- Strong adhesion.
- Excellent toughness.
- Quick drying.
- Contains rust converter.



	Professional use		DRYING 2-3h
	Home use		DILUTION 8-10% with water
	COVERING POWER 10-12m <sup>2</sup> /lt		APPLICATION Brush
	COATS 2		ROLLER APPLICATION
	PACKAGING 750ml		AIRLESS GUN APPLICATION



## Smaltoplast Elastic

Ecological Elastomeric 100% Acrylic Paint

- Elastomeric-covers hairline cracks
- High resistance to adverse conditions -20°C
- Antifungal properties
- Unmodified shades






## Smaltoplast Silk

Odorless Ecological Matte Emulsion Paint

- Hypoallergenic (British Allergy UK)
- Antimicrobial (ISO 22196:2007, BS3900:G6)
- A+ Indoor Air Quality
- Permanent action against mold
- Easy to Clean (Class 1- EN 13300)



# Undercoat & primers Enamel paints



## Gumilak Metal Duco

### Premium Quality Enamel

- Enhanced anticorrosive protection & great covering power.
- Excellent hardness and durability, with very good resistance to mechanical strain.
- Great resistance in UV and in adverse weather conditions.
- Available at 24 ready made shades & endless coloring options via Vechro's Tinting Machine.



	Professional use		DRYING 2-3h
	Home use		DILUTION Brush or roller: 5% Smaltolux White Spirit
	COVERING POWER 14-16m <sup>2</sup> /lt		Airless Gun: 8% Thinner No1
	COATS 2		APPLICATION Brush Roller
	PACKAGING 200ml, 375ml, 750ml, 2.5lt, 5lt		APPLICATION Airless Gun

## Gumilak Metal Hardener

### High Solids Hardener

- Accelerates drying time.
- Increases hardness & durability.



	Professional use
	Home use
	PACKAGING 250ml

## Gumilak Metal Primer

### Metal Surface Primer

- Quick drying.
- Very good adhesion and elasticity.
- Very good leveling and sanding properties.



	Professional use		DRYING 1-2h
	Home use		DILUTION Brush or roller: 4% with Smaltolux White Spirit
	COVERING POWER 14-18m <sup>2</sup> /lt		Airless Gun: 4% Thinner No1
	COATS 1		APPLICATION Brush Roller
	PACKAGING White: 375ml, 750ml, 2.5lt, 5lt, 10lt Grey: 750ml, 2.5lt		APPLICATION Airless Gun

## Gumilak Metal Chassi

### Anticorrosive chassi paint

- Excellent resistance to water, gasoline, & car oils.
- Excellent adhesion on metal surfaces.
- Anti-corrosive Protection.
- Quick drying.



	Professional use		DRYING 1-2h
	Home use		DILUTION Brush or Roller: 5% with Smaltolux White Spirit
	COVERING POWER 12-14m <sup>2</sup> /lt		Airless Gun: 12% with Thinner No1
	COATS 1-2		APPLICATION Brush Roller
	PACKAGING 750ml, 2.5lt		APPLICATION Airless Gun

## Corrolux Metal Effect

### Metalized Antirust Decorative Enamel

- Excellent adhesion, leveling & drying.
- Metalized-pearl effect protective & decorative.
- Very good anti-corrosive properties.
- Can be used direct in metallic surfaces without use of anti-corrosive primer.



	Professional use		DRYING 2-3h
	Home use		DILUTION 5% with Smaltolux White Spirit
	COVERING POWER 8-10m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 750ml, 2.5lt		

## Corrolux Enamel

### Hammer Finish

- Fast drying.
- Excellent hardness & durability.
- Very good resistance to mechanical strain.
- Anti-corrosive protection.
- Weather resistance.
- Available at 12 Vechro's color shades.



	Professional use		DRYING 10-15 min
	Home use		DILUTION Brush or Roller: 4% Airless Gun: 6% with Thinner No1
	COVERING POWER 8-10m <sup>2</sup> /lt		
	COATS 2		APPLICATION Brush Roller
	PACKAGING 750ml, 2.5lt		APPLICATION Airless Gun

## Corrolux Antirust

### Gloss 2 in 1 Anti-rust Enamel

- Direct to rusty and new metal surfaces.
- Anticorrosive performance.
- Very good adhesion, flow, leveling and fast drying.
- Available at 9 ready made color shades.



	Professional use		DRYING 1-3h
	Home use		DILUTION Brush or Roller: 5% with Smaltolux White Spirit
	COVERING POWER 15-17m <sup>2</sup> /lt		Airless Gun: 12% Thinner No1
	COATS 2		APPLICATION Brush Roller
	PACKAGING 750ml, 2.5lt		APPLICATION Airless Gun

## Oxidol Anticorrosive Primer

### Anticorrosive new generation primer

- High anti-corrosive protection.
- Excellent adhesion.
- Fast drying.
- Contains non toxic pigments.



	Professional use		DRYING 1-1½h
	Home use		DILUTION Brush or Roller: 5% with Smaltolux White Spirit Airless Gun: 18% with Thinner No1
	COVERING POWER 14-16m²/lt		Airless Gun: 18% with Thinner No1
	COATS 1-2		APPLICATION Brush Roller
	PACKAGING 375ml, 750ml, 2.5lt, 5lt		APPLICATION Airless Gun

## Oxidol Galvanize Primer

### Aluminium Galvanize Primer

- Excellent adhesion in non ferrous surfaces.
- Suitable undercoat for aluminum, galvanized metal, stainless steel, copper etc.



	Professional use		DRYING 2h
	Home use		DILUTION Brush or roller: 4% Airless Gun: 6% Thinner No1
	COVERING POWER 12-14m²/lt		APPLICATION Brush Roller
	COATS 1		APPLICATION Airless Gun
	PACKAGING 750ml, 2.5lt		

## Oxidol Minio

### Superior Anti-corrosive Primer

- Excellent anti-corrosive protection even on surfaces exposed to strong oxidative environment.
- Very good adhesion.
- Fast drying.
- Contains non toxic pigments.



	Professional use		DRYING 1½-2h
	Home use		DILUTION Brush or roller: 5% with Smaltolux White Spirit Airless Gun: 18% with Thinner No1
	COVERING POWER 13-15m²/lt		Airless Gun: 18% with Thinner No1
	COATS 1		APPLICATION Brush Roller
	PACKAGING 750ml, 2.5lt		APPLICATION Airless Gun

## Smaltolux Extra Gloss, Satin

### Premium Quality Wood Enamel

- Suitable for wood and metal surfaces.
- Gives smoothness to surfaces and enhances yellowness in the dark performance.
- Available at Gloss-Satin & Matte finish.



	Professional use		DRYING 2-4h
	Home use		DILUTION 4% with Smaltolux White Spirit
	COVERING POWER 16-18m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 750ml, 1lt, 2.5lt		

## Smaltolux Velatoura

### New generation wood undercoat based on special alkyd resins

- For wooden surfaces and MDF with filling properties.
- Easy application and easy sanding.
- Quick recoatability.
- Available at white.



	Professional use		DRYING 1-2h
	Home use		DILUTION Brush or roller: 4% with Smaltolux White Spirit Airless Gun: 4% Thinner No1
	COVERING POWER 14-18m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 1		APPLICATION Airless Gun
	PACKAGING 750ml, 2.5lt, 5lt		

## PRO Silicone Duco

### High Durability Silicone Alkyd Enamel Paint

- Weather & UV radiation resistance.
- High hardness without the addition of hardener.
- Resistance to mechanical abrasion.
- Excellent efficiency & coverage.



	Professional use		DRYING 2-3h
	Home use		DILUTION 5% with Smaltolux White spirit
	COVERING POWER 14-16m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 750ml, 2.5lt		

## PRO Minio Extra

### Anticorrosive Primer

- Excellent anti-corrosive long lasting protection with synthetic alkyd resins, & lead oxide.
- Very good adhesion.
- Very good leveling.

**Only for professional use**



	Professional use		DRYING 1 $\frac{1}{2}$ -2 $\frac{1}{2}$ h
	COVERING POWER 4-6m <sup>2</sup> /Kg		DILUTION 5-10% with Smaltolux White spirit
	COATS 1		APPLICATION Brush Roller
	PACKAGING 500gr, 1Kg, 5Kg		

# PRO



YOUR PROFESSIONAL CHOICE

## PRO ACRYLIC PLASTER & PRO PRIMER PLASTER



Premium acrylic plaster system, ready for use.

- Acrylic fiber reinforced plaster in pasty form of organic base.
- Ideal for the final finish in external thermal insulation systems.
- It is used as one-layer plaster on concrete substrates, conventional mortars, cement boards, gypsum boards, previously painted surfaces, etc.
- It is water repellent and permeable to water vapor

Certified with the CE market according to EN 15824.



**Flat:** 1.0mm & 1.5mm

**Graffiato:** 2.0mm & 3.0mm

Water-based wood protection



## Smaltoxyl Hydro Eco Varnish

### Ecological Protective & Decorative Wood Varnish

- Low build stain varnish, does not flake.
- Micro-porous waterproofing & allowing the wood to breathe.
- Suitable for children's toys (Standard EN 71-3).
- Very easy wood maintenance.
- Available at 15 ready made shades.



	Professional use		DRYING 1-2h
	Home use		DILUTION 5-10% with water
	COVERING POWER 15-20m²/lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Sponge
	PACKAGING 750ml, 2.5lt		

## Smaltoxyl Hydro Wood Preservative

### Water-based Wood Preservative

- Protects against fungi, blue stains and wood-eating insects.
- Preserves & penetrates deeply.
- Breathable.
- Available at 10 ready made shades.



	Professional use		DRYING 1-2h
	Home use		DILUTION Ready for use
	COVERING POWER 15-17m²/lt		APPLICATION Brush Roller
	COATS 1-2		
	PACKAGING 750ml, 2.5lt		

## Smaltoxyl Hydro Teak Oil

### Water Based Teak Oil

- Water resistance and mold protection.
- Contains UV filters.
- Protection against stains.
- Quick drying.



	Professional use		DRYING 1/2-1h
	Home use		DILUTION Ready for use
	COVERING POWER 12-15m²/lt		APPLICATION Brush
	COATS 2		APPLICATION Cloth
	PACKAGING 750ml, 2.5lt		

## Smaltoxyl Hydro Decking Oil

### Hybrid Water Based Decking Oil

- Chlorinated water and seawater resistance.
- Resistance to mold.
- High resistance to adverse weather conditions.



	Professional use		DRYING 1/2-1h
	Home use		DILUTION Ready for use
	COVERING POWER 10-12m²/lt		APPLICATION Brush Roller
	COATS 2-3		APPLICATION Paintbrush
	PACKAGING 750ml, 2.5lt		

Wooden floor



## Smaltoxyl Hydro Parquet Varnish

### Polyurethane Wooden-Floor Varnish

- Polyurethane (PU) technology.
- Scratch resistant.
- Quick drying.
- Strong adhesion, elasticity and hardness.

PU



	Professional use		DRYING 1/2-1h
	Home use		DILUTION Ready for use
	COVERING POWER 12-14 m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 750ml, 2.5lt		

## Smaltoxyl Hydro Parquet Primer

### Water based primer for wooden floors

- Great adhesion and elasticity.
- Excellent filling of the wood pores.
- Easily sanding, enhancing the abrasion of wood.
- Ease to apply.
- Quick drying.



	Professional use		DRYING 1/2-1h
	Home use		DILUTION 8 - 10% on volume with water
	COVERING POWER 9-11m <sup>2</sup> /lt		APPLICATION Brush Soft Roller
	COATS 1-2		
	PACKAGING 750ml, 2.5lt		

\* Symbols' explanation on page 4



# Solvent-based varnishes



## Smaltoxyl Base

### Wood Stain Varnish

- Maintains its elasticity following wood's movements.
- Breath & waterproof abilities.
- Water resistance without cracks and pealing.
- Protects the film from mold growth & fungi.
- UV filters.



	Professional use		DRYING 12h
	Home use		DILUTION Ready to use
	COVERING POWER 12-18m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 750ml, 2.5lt		

## Smaltoxyl Deco

### Protective and Decorative Wood Varnish

- Alkyd wood varnish.
- Protects the film from mold growth and moisture.
- Keeps elasticity in order to follow woods movements.
- UV filters.



	Professional use		DRYING 3-4h
	Home use		DILUTION Roller or Brush: 5% with Smaltolux White Spirit Airless Gun: 8% Thinner No1
	COVERING POWER 9-11m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 200ml, 750ml, 2.5lt		

## Smaltoxyl Teak Oil

### Protective Oil for Teak & Hard Exotic Timber

- Maintaining and refreshing hard exotic woods.
- Replaces lost natural wooden oils.
- Contains Wax.
- Water, sunlight, salts, stains etc. protection.



	Professional use		DRYING 3-4h
	Home use		DILUTION Ready to use
	COVERING POWER 15-17m <sup>2</sup> /lt		APPLICATION Brush
	COATS 1-2		APPLICATION Cloth
	PACKAGING 750ml, 2.5lt		

## Smaltoxyl Yacht Varnish

### Polyurethane-Alkyd Yacht Varnish

- Tough and elastic film.
- Long lasting protection.
- Resistance to mechanical stress.
- UV filters and outdoor durability.
- Protection of dried film against mildew growth and moisture.



	Professional use		DRYING 3-4h
	Home use		DILUTION Brush or Roller: 5-10% with Smaltolux White Spirit Airless Gun: 10% Thinner No1
	COVERING POWER 12-18m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 1-2		APPLICATION Airless Gun
	PACKAGING 750ml, 2.5lt		



# Smaltoxyl Hydro

## Ecological Wood Varnish

- Does not flake
- Micro-porous waterproofing & allowing the wood to breathe



# Pro Pool Plus 1 Pool Paint

- High-strength elastic paint
- Excellent resistance to chlorine and other preservative chemicals & sea water






#PaintHasThePower

#PaintHasThePower



### Smaltoplast Extra Ecological Matte Emulsion Paint

- Excellent covering power & super opacity
- A+ indoor air quality
- Scrub resistance



### Smaltoplast Acrylic Ecological 100% Acrylic Paint

- Long-lasting protection & unmodified shades
- High resistance to adverse conditions
- Alkali & water resistance



# Floor coatings


# Porous surface protection



### Polydox Varnish Hydro

#### Waterproof Protective Stone Varnish

- Hyper-penetration.
- Excellent liquid repellent.
- Weather & atmospheric solution resistance.
- Suitable for natural and artificial stone, brickwork, marble, cement etc.



	Professional use		DRYING 30min
	Home use		DILUTION Ready to use
	COVERING POWER 4-8m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 1-2		APPLICATION Airless Gun
	PACKAGING 750ml, 2.5lt		

### Polydox Varnish Acrylic

#### Acrylic Stone Varnish

- Very good adherence & hardness.
- Against yellowing.
- Weather resistance.
- Gloss finish.



	Professional use		DRYING 1-1 1/2h
	Home use		DILUTION Ready to use
	COVERING POWER 10-12m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 1-2		APPLICATION Airless Gun
	PACKAGING 750ml, 2.5lt		

### Dulisol Hydro

#### Hybrid Polyurethane - Acrylic Water Based, Floor Paint

- Suitable for indoor and outdoor paved concrete floors with light traffic.
- Smooth application & very good adhesion.
- Great coverage.
- Weather & wear resistance.



	Professional use		DRYING 1/2-1h
	Home use		DILUTION Brush or roller: 8-10% with water Airless Gun: 15% with water
	COVERING POWER 12-14m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 750ml, 2.5lt		

### Dulisol

#### Solvent Based Acrylic Paint for Stones, Pavements & Floors

- Excellent adhesion.
- Weather resistance.
- Suitable for stone pavements, roof tiles and cement floor surfaces.
- Available at white, terracotta (3013) and grey (7046).



	Professional use		DRYING 1/2-1h
	Home use		DILUTION 5% VECHRO THINNER No1 or No3
	COVERING POWER 12-15m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 2.5lt		

# Building and repairing materials



## PRO Acrylic Plaster

### Acrylic Fiber-Reinforced Plaster

- Excellent adhesion & elasticity.
- Water repellent & permeable to water vapor.
- Ready to use.
- Certified with the CE mark (EN 15824).



	Professional use		DRYING 4-6h
	Home use		DILUTION 2% with water
	COVERING POWER 1.9-3.0kg/m²		APPLICATION Simple spatula
	COATS 2		
	PACKAGING 5kg, 25kg		



## PRO Primer Plaster

### Acrylic White Primer for Plaster

- Resistant to alkali & humidity.
- Excellent adhesion.
- After its application it creates a rough surface



	Professional use		DRYING 1-1 1/2 h
	Home use		DILUTION 5% with water
	COVERING POWER 10-12m²/lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 10lt		

## PRO Bondfix Quartz

### Quartz Adhesive Primer for Plaster

- Excellent adhesion.
- Great alkali and water resistance.
- Suitable to use as a "bridge" on cement, plaster, cement board, plasterboard, expanded or extruded polystyrene, concrete blocks, mosaic, tiles, sea plywood, MDF and other wood or metal surfaces.



	Professional use		DRYING 1/2-1h
	Home use		DILUTION Ready to use
	COVERING POWER 4-12m²/lt		APPLICATION Brush Roller
	COATS 1-2		APPLICATION Airless Gun
	PACKAGING 750ml, 2.5lt, 10lt		

## Smaltofill Elastic Putty

### Elastomeric Putty for cracks and joints

- Enriched with microspheres, for internal and external use.
- Suitable for filling of cracks and joints on walls terraces etc but also for filling between different materials such as concrete, wood, tar, polyurethane.
- Minimum shrinkage and no cracking.
- Excellent resistance to alkali and temperature variations.



	Professional use		DRYING 3-6h
	Home use		DILUTION Ready to use
	COVERING POWER 1-2,5m <sup>2</sup> /Kg		APPLICATION Simple spatula
	COATS 1-2		
	PACKAGING 1Kg, 4Kg		

## Smaltofill Acrylic Putty

### Acrylic Putty

- For internal and external use.
- Suitable for wood, masonry, cement, gypsum board etc.
- Easy to apply with excellent filling properties & quick drying.



	Professional use		DRYING 1-2h
	Home use		DILUTION Ready to use
	COVERING POWER 2-3m <sup>2</sup> /Kg		APPLICATION Simple spatula
	COATS 1-2		
	PACKAGING 400gr, 800gr, 5Kg		

## Smaltofill Easy Putty

### Lightweight Acrylic Putty

- Quick & easy application.
- Non-shrinking.
- Filling and repairing cracks and holes up to 5cm.
- Corrosion resistant of the metal.



	Professional use		DRYING 1-8h
	Home use		DILUTION Ready to use
	COVERING POWER Depending on the thickness of the layer		APPLICATION Simple spatula
	COATS 2		
	PACKAGING 500ml, 1lt		

## Ultra Smaltoplaster Fix

### Fine Cement-Acrylic Putty Powder for leveling plastered surfaces and face concrete

- Easily homogenized.
- Excellent application, filling and sanding properties.
- No cracks.
- No shrinking even at high film thickness.
- Interior and exterior use.



	Professional use		DRYING 3-4h
	Home use		DILUTION 7kg per 20kg of product
	COVERING POWER 1-3m <sup>2</sup> /Kg		APPLICATION Simple spatula
	COATS 2		
	PACKAGING 5Kg, 20Kg		

## Ultra Smaltoplast Power Fix

### High filling power coarse compound

- Easily homogenized.
- Suitable for filling and leveling bad structured concretes and plasters.
- Excellent application, filling and sanding properties.
- No shrinking even at high film thickness.
- Durable in bad weather conditions.



	Professional use		DRYING 3-4h
	Home use		DILUTION 6-7kg per 20kg of product
	COVERING POWER 1-3m <sup>2</sup> /Kg		APPLICATION Simple spatula
	COATS 1-2		
	PACKAGING 5Kg, 20Kg		

## VECHRO Bond 1000

### White Acrylic, Tile Adhesive

- Suitable for fixing tiles and decorative bricks for internal and external use.
- Classified C1T according to EN12004.
- High bond strength.
- Tiling without sliding on the wall.



	Professional use		DRYING FLOOR: 24h MASONRY: 12h
	Home use		DILUTION 5kg of glue with about 1.4kg of clean water
	COVERING POWER 2,5-4,5 m <sup>2</sup> /Kg		APPLICATION Serrated spatula
	PACKAGING 5Kg, 25Kg		

## VECHRO Bond 2000

### Reinforced Super Acrylic Tile Adhesive

- Reinforced with acrylic resins, suitable for placing ceramic tiles.
- Classified C2TE category according to EN 12004.
- Excellent bonding resistance with zero slip.
- Extended open application time.
- Internal and external use.



	Professional use		DRYING FLOOR: 24h MASONRY: 12h
	Home use		DILUTION 5kg of glue with about 1.4kg of clean water
	COVERING POWER 2,5-4,5 m <sup>2</sup> /Kg		APPLICATION Serrated spatula
	PACKAGING 5Kg, 25Kg		

## VECHRO Fast Cret

### Fiber-reinforced quick-setting repair plaster

- Suitable for the repair and restoration of damaged parts on surfaces of plaster, bricks, concrete etc. for internal and external use.
- Strong adhesion.
- Classified Class R / CSII according to EN 998-1.
- High mechanical strength.
- Does not contain gypsum.



	Professional use		DRYING 30-40min
	Home use		DILUTION 1kg of glue with about 5kg of clean water
	COVERING POWER 12-14 m <sup>2</sup> /Kg for 1cm layer		APPLICATION Simple spatula
	PACKAGING 5Kg, 25Kg		APPLICATION Trowel

# Special application paints



## PRO Pool Plus 1

### Single Component Pool Paint

- Excellent resistance to chlorine and other preservative chemicals & sea water.
- High-strength elastic paint.
- Easy to apply & great adhesion.
- Based on chlorinated rubber resin.
- Available at light blue (PCM 544).



	Professional use		DRYING 1/2-1h
	Home use		DILUTION 8-10% with Vechro Thinner No1
	COVERING POWER 7-9m <sup>2</sup> /lt		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING 4lt		

## PRO Antigraffiti PU

### Antipollution & Anti-graffiti 2C PU paint

- Suitable for application on walls and on surfaces from concrete, plaster, stone, metals, wood etc.
- Excellent hardness & weather resistance.
- High resistance UV radiation, yellowing & mechanical stress.
- Creates a hard & elastic membrane without pores.
- Could be cleaned from graffiti with the proposed diluent Vechro Thinner No1.



	Professional use		DRYING 2-3h
	Home use		DILUTION Ready to use
	COVERING POWER 4 - 6m <sup>2</sup> /Kg		APPLICATION Brush Roller
	COATS 2		APPLICATION Airless Gun
	PACKAGING Component A: 4Kg Component B: 1Kg		

**PU**

## PRO Road Marking Paint

### Acrylic Road Marking Paint

- Great adhesion and elasticity on tar, concrete, metal surfaces, plasters.
- Abrasion & wear resistance.
- Quick drying.
- Available at White, Yellow & Black.

**bast**



	Professional use		DRYING 15-17min
	Home use		DILUTION Ready to use
	COVERING POWER 1,5-1,9m <sup>2</sup> /Kg		APPLICATION Brush Roller
	COATS 1-2		APPLICATION Airless Gun
	PACKAGING 1Kg, 5Kg, 23Kg, 25Kg		APPLICATION Road Marking Machines

## PRO Wash Primer

### 2C Primer for Preliminary processing on ferrous & non ferrous metallic surfaces

- Prepares non-ferrous surfaces such as aluminum, galvanized sheet iron, copper, in order to achieve very good adhesion.



	Professional use		DRYING 20-30min
	Home use		DILUTION Ready for use
	COVERING POWER 8-10m <sup>2</sup> /Kg		APPLICATION Brush Roller
	COATS 1-2		APPLICATION Airless Gun
	PACKAGING Component A: 0,6Kg Component B: 0,15Kg		

## PRO Paint Remover

### New Generation Paint Remover

- Suitable to remove old coatings from painted surfaces.
- Without methylene chloride.



	Professional use		COATS 2
	Home use		ACTION TIME 10-30min
	COVERING POWER 2-4m <sup>2</sup> /lt		DILUTION Ready to use
	PACKAGING 375ml, 750ml		

## Thinner Isolor Duraflex

- Transparent aromatic thinner.
- The product is used as thinner for the Isolor Duraflex.

**Only for professional use**



	Professional use
	PACKAGING 750ml, 4lt

## Thinner No 1

- Clear, colorless, aromatic hydrocarbon.
- Low sulfur content.
- Completely miscible with castor, linseed and other oils.



	Professional use
	Home use
	PACKAGING 750ml, 4lt, 15lt

## Thinner No 3

- Mixture of aromatic hydrocarbons.
- Suitable solvent for nitrocellulose lacquers and varnishes.
- Miscible with most organic liquids.



	Professional use
	Home use
	PACKAGING 750ml, 4lt, 15lt

### Smaltolux White Spirit

- Smaltolux White Spirit is a mixture of paraffin, cycloparaffin, and aromatic hydrocarbons with boiling range which lie between 160-200°C.
- Low Aromatic.

 Professional use Home use PACKAGING  
375ml, 750ml, 4lt, 15lt

### Smaltolux Odor Free Thinner

- Mixture of odorless flame retardant high-carbon aliphatic hydrocarbons.
- Perfect thinner for odorless paints.

 Professional use Home use PACKAGING  
750ml

## Technical support department



About our products and their properties, technical brochures, application methods, advice/guidance as well as technical solutions.

**E: [techsupport@vechro.gr](mailto:techsupport@vechro.gr)**

**T: +30.210.4816101**

## Contact us



**E: [info@vechro.gr](mailto:info@vechro.gr)**

**T: +30.210.4816101**

**F: +30.210.4820460**

**Monday- Friday:**

**07:30 a.m. - 15:30 p.m.**

The Most Reliable  
Tinting System For  
Unmodified Shades




PCM & RAL Vechro palettes are valuable tools for both professionals and consumers and they are available for sale. Visit our website and buy yours.

## Community



[www.vechro.gr](http://www.vechro.gr)

# We choose VECHRO, the leading company in total ecological paint Sales & Certifications since 2003!



1948	2002	2004	2008	2012	2016	2022
Year of establishment of the company	First ecological product certification		15	46	76	84

Number of certified VECHRO ecological products

