PureKleen-Bio

Organic & microbiological building surface cleaners



Environmentally friendly cleaners for the safe removal of algae, moss and lichens from external hard substrates







Before cleaning

During cleaning

After cleaning

PRODUCT DESCRIPTION

- ⇒ Can be used on most stone, concrete, brick, tarmac and clay substrates.
- ⇒ Concentrated therefore the highest level of performance with less packaging and less space.
- \Rightarrow Once applied will typically keep working for up to 2–3 years.
- ⇒ Reduces on-going maintenance costs.
- ⇒ Scrubbing or power washing not required.
- ⇒ Professional strength.

PureKleen-Bio cleaners are available in specific grades:

⇒ PureKleen-BR: Roofs

⇒ PureKleen-BG: Ground hardscapes

⇒ PureKleen-BF: Facades



PACKAGING

5L, 25L, 200L and 1000L containers







PureKleen-BR

PRODUCT INTRODUCTION

A high performance renovating cleaner designed to remove organic and microbiological growth contaminants from porous hard ground surfaces such as natural stone, cement, tarmac, brick, terracotta etc.

DESCRIPTION

Available as a concentrate liquid, this cleaner is designed to clean and protect surfaces from moss, lichen and algae.

PureKleen-BR does not contain solvents, acids or caustic soda.

USES

 PureKleen-BR cleans and removes contaminants from building roof materials.

APPLICATION

- ⇒ 4 hours of dry weather are needed after application
- Supplied as a concentrate. Each 60ml dosage of product makes 1L of ready to use product by adding water.
- ⇒ Apply to the surface with a sprayer and lance soaking the complete area with a generous and even application.
- ⇒ Results start to show within 24hrs. **PureKleen-BR** can continue to work for up to 2-5 years, however this is dependant upon environmental conditions.
- ⇒ Ideally a protect the cleaned surface with **PureScape** to limit re-growth.

COVERAGE

- ⇒ Heavy soiling: 3m²/L
- ⇒ Light soiling: 5m²/L
- \Rightarrow The more porous the surface, the less the coverage rate will be.
- ⇒ Always test a small area before use, preferably hidden.

PHYSICAL PROPERTIES

- ⇒ Odour: characteristic
- ⇒ pH: <12</p>
- ⇒ Soluble in water
- ⇒ Specific gravity: 1.09
- ⇒ Colour: Pale straw
- ⇒ VOC: 0g/L
- ⇒ Always consult the msds before use.
- \Rightarrow Never mix or add any other cleaners or acid product.

EQUIPMENT CLEANING

Clean equipment with clean warm water

STORAGE & SHELF LIFE

Store away from frost and heat in a dry place: temperature between 5 °C and 30 °C. Shelf life is 12 months from the production batch date when kept in the original unopened container.

HEALTH & SAFETY

See Material Safety Data Sheet before use.

KEEP OUT OF THE REACH OF CHILDREN & ANIMALS

Important: The content of this documentation is based on our experience of the product. Rocan Products Ltd guarantees the quality of its products, but expressly declines any liability in the event of failure by the user to comply with the recommendations and conditions of use of said products, notably but not exclusively in the event of incorrect application, application by unqualified personnel, use of products not compatible with Rocan's products or bad weather conditions. For further information, refer to the safety data sheet.

ROCAN PRODUCT CODE: R-06

Date of last update: 09.01.18







PureKleen-BG

PRODUCT INTRODUCTION

A high performance renovating cleaner designed to remove organic and microbiological growth contaminants from porous hard ground surfaces such as natural stone, cement, tarmac, brick, terracotta etc.

DESCRIPTION

Available as a light gel, this cleaner is designed to clean and protect surfaces from moss, lichen and algae.

PureKleen-BG does not contain solvents, acids or caustic soda.

USES

- PureKleen-BG cleans and removes from many ground surfaces.
- ⇒ Patios
- ⇒ Forecourts
- ⇒ Driveways
- ⇒ Platforms
- ⇒ Decking
- ⇒ Steps
- ⇒ Tennis Courts
- ⇒ Furniture
- ⇒ Hardscape

APPLICATION

- \Rightarrow Supplied ready to use.
- ⇒ Apply neat product to a dry or damp surface with a brush, roller or sprayer.
- ⇒ Soak the complete area with a generous and even application.
- ⇒ Leave for 20 to 90 minutes. Agitation with a scrubbing brush may enhance the cleaning action.
- ⇒ Rinse with water then allow to dry.
- \Rightarrow If soiling is still present a repeated application may be required.
- ⇒ Ideally protect the cleaned surface with **PureScape** to limit re-growth.

COVERAGE

- ⇒ Heavy soiling: 3m²/L
- ⇒ Light soiling: 5m²/L
- ⇒ The more porous the surface, the lower the coverage rate will be.
- ⇒ To brighten paths and patios leave longer before rinsing (up to 8 hours)
- ⇒ Always test a small area before use, preferably hidden.

PHYSICAL PROPERTIES

- ⇒ Odour: characteristic
- ⇒ pH: <12</p>
- ⇒ Soluble in water
- ⇒ Specific gravity: 1.09
- ⇒ Colour: Pale straw
- ⇒ VOC: 0g/L
- ⇒ Always consult the msds before use.
- ⇒ Protect any surface not being treated that is in close proximity of the area.
- ⇒ Never mix or add any other cleaners or acid product.

EQUIPMENT CLEANING

Clean equipment with clean warm water

STORAGE & SHELF LIFE

Store away from frost and heat in a dry place: temperature between 5 °C and 30 °C. Shelf life is 12 months from the production batch date when kept in the original unopened container.

HEALTH & SAFETY

See Material Safety Data Sheet before use.

KEEP OUT OF THE REACH OF CHILDREN & ANIMALS

Important: The content of this documentation is based on our experience of the product. Rocan Products Ltd guarantees the quality of its products, but expressly declines any liability in the event of failure by the user to comply with the recommendations and conditions of use of said products, notably but not exclusively in the event of incorrect application, application by unqualified personnel, use of products not compatible with Rocan's products or bad weather conditions. For further information, refer to the safety data sheet.

ROCAN PRODUCT CODE: R-04a

Date of last update: 09.01.18







PureKleen-BF

PRODUCT INTRODUCTION

A high performance renovating cleaner designed to remove organic and microbiological growth contaminants from porous facade surfaces such as natural stone, cement, tarmac, brick, terracotta etc.

DESCRIPTION

Available as a light gel, this cleaner is designed to clean and protect surfaces from moss, lichen and algae.

PureKleen-BF does not contain solvents, acids or caustic soda.

USES

- PureKleen-BF cleans and removes from many vertical surfaces.
- ⇒ Building facades
- ⇒ Domestic & commercial walls
- ⇒ Retaining walls
- ⇒ Bridges
- ⇒ Car Parks
- ⇒ Heritage buildings
- ⇒ Suitable for both internal & external use

APPLICATION

- \Rightarrow Supplied ready to use.
- ⇒ Apply neat product to a dry or damp surface with a brush, roller or sprayer.
- ⇒ Soak the complete area with a generous and even application.
- \Rightarrow Leave for 20 to 90 minutes.
- ⇒ Rinse with water then allow to dry.
- ⇒ Ideally protect the cleaned surface with **PureScape** to limit re-growth.

COVERAGE

- ⇒ Heavy soiling: 3m²/L
- ⇒ Light soiling: 5m²/L
- ⇒ The more porous the surface, the lower the coverage rate will be.
- ⇒ Always test a small area before use, preferably hidden.

PHYSICAL PROPERTIES

- ⇒ Odour: characteristic
- ⇒ pH: <12
- ⇒ Soluble in water
- ⇒ Specific gravity: 1.09
- ⇒ Colour: Pale straw
- ⇒ VOC: 0g/L
- ⇒ Always consult the msds before use.
- ⇒ Protect any surface not being treated that is in close proximity of the area.
- Never mix or add any other cleaners or acid product.

EQUIPMENT CLEANING

Clean equipment with clean warm water

STORAGE & SHELF LIFE

Store away from frost and heat in a dry place: temperature between 5 °C and 30 °C. Shelf life is 12 months from the production batch date when kept in the original unopened container.

HEALTH & SAFETY

See Material Safety Data Sheet before use.

KEEP OUT OF THE REACH OF CHILDREN & ANIMALS

Important: The content of this documentation is based on our experience of the product. Rocan Products Ltd guarantees the quality of its products, but expressly declines any liability in the event of failure by the user to comply with the recommendations and conditions of use of said products, notably but not exclusively in the event of incorrect application, application by unqualified personnel, use of products not compatible with Rocan's products or bad weather conditions. For further information, refer to the safety data sheet.

ROCAN PRODUCT CODE: R-05

Date of last update: 09.01.18





