



### Removes Oxidation Staining from Delicate Surfaces

#### PRODUCT DESCRIPTION

Designed to remove rust stains from delicate surfaces, when other rust removers cannot be used due to their corrosive nature.

Non-acid rust remover converts rust compounds in to water soluble solution, that will change colour on activation, can be simply rinsed away with clean water.

Non-acid rust remover is highly concentrated and efficient at removing rust and oxidisation from Marble; Stone; Wood; Paint; Fibreglass; Concrete. Its neutral pH, allows a wider range of uses.

#### APPLICATION

- ⇒ Test first on the surface is essential to establish the correct dwell time. This will ensure the underlying substrate is not affected.
- ⇒ SHAKE WELL BEFORE USE
- ⇒ Apply neat product generously to a dry surface
- ⇒ Leave to react
- ⇒ Light staining-10 minutes
- ⇒ Heavy staining -up to 2 hours
- ⇒ Once applied do not let the product dry out, reapply if the surface becomes dry.
- ⇒ Rinse clean with plenty of water, for best results use diluted with cold water

#### TECHNICAL DATA

- ⇒ Physical State at 20°C : Liquid
- ⇒ Colour : Clear
- ⇒ Colour whilst working : Dark Purple
- ⇒ pH. : approx. 7
- ⇒ Density: Approx. 1.11 kg/l



Dark: Untreated.

Pale: Treated

### Limestones



Left: Untreated

Right: Treated

## CHEMICAL COMPOSITION

A blend of biodegradable detergents and Thioglycolic acid sodium salt.

## PACKAGING

250ml container

## COVERAGE RATE

The figures below are approximate and should be used only as a general guideline: 3m<sup>2</sup> / litre

## EQUIPMENT CLEANING

Immediately after you have finished clean all tools and equipment with water.

## STORAGE & SHELF LIFE

Keep in a dry place (between 5°C and 30°C).

Storage: 24 months following the production date when kept in the original unopened container.

## RECOMMENDATIONS

- Wear protective gloves and glasses, and appropriate clothing whilst using the product.
- Do not dilute or mix with another product .
- Do not allow the applied product to dry.
- Do not apply during rain or frost and when surface and air temperature is < 5°C and > 30°C.

## HEALTH & SAFETY

See Material Safety Data Sheet before use.

## KEEP OUT OF THE REACH OF CHILDREN & ANIMALS

**Important:** The content of this documentation is based on our experience of the product. Rocan Products Ltd guarantees the quality of its products, but expressly declines any liability in the event of failure by the user to comply with the recommendations and conditions of use of said products, notably but not exclusively in the event of incorrect application, application by unqualified personnel, use of products not compatible with Rocan's products or bad weather conditions. For further information, refer to the safety data sheet.

ROCAN PRODUCT CODE: R14

Date of last update: 10.01.18



P&I Rowe Ltd, Treetops, 1 Foscoote Rise, Banbury, Oxon. OX16 9XS. England  
Company No 4532077 Registered in England & Wales

