

Ficha Técnica

Pinecol (Matt Environmentally Friendly Paint)

Environmentally friendly Acrylic paint.

Versión: 30/09/2022



Ventajas

- No emission of volatile compounds.
- No irritations or bad smells.
- Respectful with yours.
- Ecological label.

Descripción

Matt Acrylic paint based on specifically formulated resins. It does not contain formaldehyde, coalescers, solvents, ammonia or other volatile substances, which gives it a low odor and no emission of toxic or harmful substances for people or the environment. Matt finish, with excellent whiteness, washability and coverage.

Propiedades

Pinecol is an ecological paint that respects the environment. It does not present emission of volatile compounds (0% VOCs), nor odors nor does it cause irritations. It has a matte finish, with good coverage and very good washability. It also has high durability and resistance. Pinecol meets all the ecological criteria for interior paints, for which it has obtained the European Ecological Label.

Certificados de producto



Certificados de empresa



Datos técnicos

Datos de identificación del producto

Color	White
Naturaleza	Special styrene-acrylic copolymer
Peso específico	1,60 ± 0,05 g/cm ³
Viscosidad	7,500 ± 1,000 cp (at Brookfield)

Datos de aplicación del producto

Herramienta	Brush, Roller, Spray or Airless
Diluyente	Water
Repintado	6-8 hours
Secado	30 minutes
Curado	28 days

Prestaciones finales

Resistencia al frote en húmedo	Class 2 (Standard UNE-EN 13300); >5000 cycles (DIN 53778 standard)
Aspecto Aplicado	Matt

Dónde aplicarlo

On all types of walls and ceilings, very clean, degreased and dry. Paint especially suitable for quality interior decoration. Due to its aforementioned properties, it allows the rooms to be occupied immediately, without discomfort or health risks.

Recommended for painting hospitals, residences and health centers.

Precauciones

- Do not apply if rain is expected in the hours following application.
- Do not apply at temperatures below 5°C or above 35°C
- Do not expose containers to extreme temperatures.
- Minimize paint waste by estimating how much you'll need.
- Reclaim unused paint for a new use.
- The reuse of paint can effectively minimize the environmental effects on the life cycle of products.
- The applicator must wear gloves and protective glasses.

Recommendations on disposal measures:

If the paint is not going to be used in its entirety, it must be managed by specialized personnel. You can also go to your local clean point. In no case dispose together with household waste.

Productos relacionados

THIXOTROPIC SYNTHETIC SEALER
SELLACRYL

Modo de empleo

New surfaces:

- Cement and concrete: Directly, diluting up to 25% for the first coat.
- Plaster, stucco or wood: Fixing previously with Synthetic Sealant or with Sellacryl JAFEP.

On old painted surfaces:

- With quality paints in good condition: Wash and sand gently and apply directly.
- With paintings in poor condition: Remove and proceed as a new surface
- On tempera paints, glue or lime: Apply Sellacryl JAFEP acrylic fixative.

IMPORTANT REMARKS: If cleaning of painted surfaces is necessary, it should be stored for at least 28-30 days after application. Always use a damp cloth and neutral detergents. Never abrasive.



Almacenamiento

- In its original closed container, at non-extreme temperature and humidity.
- Keep out of direct sunlight.
- The container is practically airtight, so if it is well closed and undiluted, it can maintain its properties for more than a year.

Formatos

Containers of: 4 & 15 liters

Memoria descriptiva

On Simple Applications:

The painting and/or decoration, especially indoors but also outdoors, of masonry surfaces will be done with Pinecol Plastic Paint from the company Pinturas Jafep. The yield will be from 10 to 12 m²/L and coat. The support must be clean, dry and free of rust, dust, grease, salt spray and moisture. The general recommendations of the manufacturer will be respected.



Atención al Cliente

967 44 05 96

atencionalcliente@jafep.com



Servicio Técnico

dpto_tecnico@jafep.com



Compromiso Medioambiental y Social Jafep

