Ficha Técnica

Water-based Anti-stain

Water-based anti-stain paint

Versión: 22/08/2023





Paint made from special modified acrylic resins, which by its nature forms a film that isolates and eliminates moisture stains, oxides, smoke, etc.

Propiedades

- Isolates all kinds of stains
- Repaintable with quality finishes

Certificados de empresa



Datos técnicos







DUBAI

Datos de identificación del producto

Color	White
Aspecto	Matt
Naturaleza	Acrylic
Peso específico	1,30 gr./cm ³

Datos de aplicación del producto

Herramienta	Brush or Roller
Rendimiento	7 - 9 m ² /L/Coat
Repintado	5 hours
Secado	1 hour

Dónde aplicarlo

Matt paint to apply indoors, both on walls and ceilings with problems of smoke stains, humidity, rust, etc. Respecting the drying times well, the work will be finished with quality paints, plastics or enamels.

Precauciones

- Do not apply at temperatures below 5°C or above 30°C.
- Do not apply with risk of frost or rain.
- Do not apply in conditions of strong winds or in direct sunlight.
- Avoid using different batches in the same cloth or, failing that, mix the current bottle with the next one at 50% to reduce the normal differences between batches.

Modo de empleo

ON NEW CLEAN, DRY SURFACES FREE OF RUST, GREASE OR SALTITRE OF:

<u>Cement and concrete:</u> Once set. Directly, it is not recommended to dilute.

<u>Plaster, plaster or wood:</u> Fixing or sealing previously with suitable products for each case.

ON OLD PAINTED SURFACES:

ARGENTINA

With paints in good quality condition: Wash and sand gently, putty if necessary and apply afterwards.





With paints in poor condition: Eliminate and proceed as a new surface. If alkalinity is detected on the support, it must be corrected.

Almacenamiento

- In its original closed container, at non-extreme temperatures and humidity.
- Keep away from direct sunlight.
- Recommended maximum since manufacture: 2 years.

Formatos

Containers: 750 ml, 4 & 15L







ARGENTINA

DUBAI

ESPAÑA

